

Appendix 2- ASB Policy No. 09

Clubroot Carrying Weed Species^{1*}

<u>Latin Name</u>	<u>Common Name</u>
<i>Armoracia rusticana</i>	Horseradish, red cole
<i>Brassica hirta</i>	White mustard
<i>Brassica kaber</i>	Wild Mustard
<i>Camelina sativa</i>	False Flax
<i>Camelina microcarpa</i>	Small Seeded False Flax
<i>Capsella bursa-pastoris</i>	Shepherd's Purse
<i>Erysimum asperum</i>	Western Wallflower
<i>Lepidium campestre</i>	Pepperwort
<i>Rorippa islandica</i>	Marsh cress
<i>Rorippa sylvestris</i>	Creeping yellow cress, yellow field cress
<i>Sisymbrium altissimum</i>	Tumbling Mustard
<i>Sisymbrium officinale</i>	Hedge Mustard
<i>Thlaspi arvense</i>	Stinkweed

*Brassica weed hosts of *Plasmodiophora brassicae*, Clubroot on the Canadian Prairies; There are no reports from the prairie provinces of these weeds having symptoms of clubroot, but the disease has been reported on these weeds in other parts of North America).

¹Clubroot of Brassica Crops. (n.d.). Retrieved November 6, 2017, from <https://www.gov.mb.ca/agriculture/crops/plant-diseases/clubroot-brassica.html>